

# **The status of quantum computing versus semi-quantum computing**

**Round-Table ICQNM 2015**


**Tal Mor  
Technion, Haifa, Israel**

# D-Wave collaborations


In 2011 ,**Lockheed Martin** signed a contract with **D-Wave Systems** to realize the benefits based upon a **quantum annealing processor** applied to some of Lockheed's most challenging computation problems. The contract includes the purchase of a “**128 qubit** Quantum Computing System”.

In 2013, a “**512 qubit system**” was sold to **Google** and **NASA**.

Researchers believe that D-Wave model is probably **not** a quantum computing model. But is it stronger than “classical”?





# A “good” quantum computing device – ion trap




*sciencedaily.com*

- Reached 14 qubits
- Nobel Prize and Wolf Prize




- **Josephson Junctions (the technology DWAVE is based upon): 3-5 qubits, maybe 8 (DWAVE?)**



- **Q. Optics (7-8 qubits)**

The Australian Centre of Excellence for  
Quantum Computation and Communication Technology



# Current status of fully-quantum computing

- Despite the Nobel prize – **we have no clue when ion traps will reach 25 qubits**
- Despite of 20M \$ DWAVE computers already sold – **we have no clue if JJ qubits are of any good**; We do know (Shin, Smith Smolin, Vazirani; 2014) that there is probably no reason to believe that the DWAVE model is quantum

# Limited QC Models:

## Semi-quantum computing

- D-Wave's [???] (closely related to JJ-QC)
- One Clean Qubit (closely related to NMR-QC)
- Linear Optics (closely related to Optics-QC)

### Three Extremely Important Questions:

- What algorithms can the limited models run?  
[OCQ – Trace estimation; LO – boson sampling]
- What kind of Quantumness/Entanglement is there?
- Do they scale much easier/better than full QC?

# Quantum Key Distribution and its Applications

Round Table Discussion

ICQNM 2015, 23. – 27. August, Venice

Stefan Schauer

## QKD and its Applications

- QKD provides highly (unconditional) secure communication
- Important in several fields where sensitive data is transmitted (government, research, finance, medical, military, etc.)
- Competition with classical solutions is high
  - Devices for classical cryptography are well established
  - Provide high transmission rates and “good” security
- Some applications for QKD have already been developed
  - Well-defined protocols for the communication (Q3P)
  - Integration into standard networks (quantum and classical links)
  - Integration into IPsec (keys coming from QKD)
  - Integration into applications (telephone conferences secure by QKD)
- QKD still faces several challenges before entering day-to-day life



# Challenges in QKD

- Challenge 1: *Distance*
  - First implementations over a few centimeters in the lab
  - Today distance of several hundred kilometers possible
  - Losses are rather high – key rate is rather low
  - Quantum networks might be a solution
  
- Challenge 2: *Bandwidth*
  - Large distances don't allow a high transmission rate (e.g. ~3bps @ 300km, ~10bps @ 200km)
  - Photon sources and detectors are not perfect and introduce errors
  - Channels are lossy and quantum states are influenced
  - Nevertheless efficient rates are possible at a short distance (e.g. 450 kbps over 25km)

# Challenges in QKD


- Challenge 3: *Handling*
  - QKD Systems are rather complex
  - High-end physics and sophisticated hardware involved
  - Hard to maintain in practice (configuration of the system)
  - Trend goes towards “Out-of-the-Box” systems (e.g. ID Quantique) and “QKD-on-a-Chip”
  
- Challenge 4: *Implementation*
  - QKD is secure in theory
  - In practice there are several physical limitations (e.g. single photon detectors, finite key length, ...)
  - Several loopholes and backdoors have been identified in the last years

## QKD Networks

- Several installations of QKD networks
  - Vienna 2008, Switzerland 2009, Tokyo 2010, China 2016
- Nodes in the network are connected using quantum links
  - QKD is performed over these links
  - Integration of several different physical implementations
- Usually restricted to a metropolitan area
- Network serves as a backbone for “classical” users and can be accessed over specific nodes and interfaces
- Hierarchical (layered) approach to provide an abstraction for the protocols and applications on higher levels


# QKD Networks

- Vienna (2008):
  - First installment of a network secured by QKD
  - Six locations across Vienna
  - Largest Distance over 80km
  - Application of text, audio and video encryption



# QKD Networks

- Tokyo (2010):
  - Network with distances up to 45km
  - Integration of different technologies
  - Application of a secure text, audio and video transmission



## QKD Networks

- China (2016):
  - Largest QKD network so far
  - 2000km link between Beijing and Shanghai
  - Large number of nodes to connect them
  
- Satellite communication secured by QKD as a next step



# A Quantum Computer : Dream or Reality

**Thierry Ferrus**

Hitachi Cambridge Laboratory

# Outline

---

**Could we (really) realise a quantum computer ?**

**Copenhagen interpretation and no-cloning theorem**

**Large scale networks**



- Could we realise the computation part ?
  - Coherence time, scalability, high-fidelity readout
  
- Could we realise a quantum memory ?
  - No-cloning theorem
  
- Could we displace qubits over  $\mu\text{m}$  distances ?
  - Surface acoustic waves, photonic crystals...

- Do we need a classical circuit to operate a quantum one ?
  - Pulsing and general operations
  
- The Copenhagen interpretation : what about measurement ?
  - Weak measurement is a measurement...
  
- What about large networks
  - Repeaters, fibres, local/ flying qubits

**END**



## **A Quantum Computer : Dream or Reality**

**Thierry Ferrus**

Hitachi Cambridge Laboratory

**HITACHI**  
Inspire the Next 