

Community Spatial Data Visualization & Analytics – UrbanScape

Fengqi (Frank) Li, Shovan Chowdhury, Avery Stubbings, Joshua R. New, Jamie Lian

Oak Ridge National Laboratory (ORNL)

Grid-Interactive Controls Group (GIC)

Electrification and Energy Infrastructures Division (EEID)

Energy Science and Technology Directorate (ESTD)

ORNL is managed by UT-Battelle LLC for the US Department of Energy

Acknowledgment


This material is based upon work supported by the U.S. Department of Energy, Office of Energy Efficiency and Renewable Energy, Building Technologies Office; Office of Energy Efficiency and Renewable Energy, Geothermal Technologies Office; Office of Science, the Biological and Environmental Research (BER) program. We sincerely appreciate the support and resources provided by the DOE, which have been instrumental in advancing our research. We would also like to extend our gratitude to Dr. Amir Roth for his invaluable guidance and contributions. His insights and expertise have greatly enriched our work.

Background

- *Increased Distributed Energy Resources (DERs) at building and community level.*
 - *Emerging social-spatial issues in urban a DER planning.*
 - *Opportunities and constraints in grid modernization.*
-
- The key points above require a comprehensive approach to address the intricate relationships among **buildings, the city, and the grid system.**



Harvest




Storage



Exchange

Nation-scale...what is AutoBEM and Model America?



Automatic Building Energy Modeling (AutoBEM) software

- Licensable from ORNL; U.S. Copyrights AutoBEM, AutoBEMGen, AutoSIM
- Related publications: bit.ly/AutoBEM

Model America - free model of every U.S. building (bit.ly/ModelAmerica)


- Model America v1.0

125,714,640 buildings, 124,276,332 simulated
122,930,327 models (97.8%) shared

- OpenStudio (v3.2.0) and EnergyPlus (v9.5)
- State_county.zip (requires free Globus Connect Personal); location-specific requires NDA

- Model America v2.0 in-process (~140M buildings)

- AutoBEM takes set of building properties as inputs
 - Building Footprint
 - Building Height
 - Building Type
 - Building Age
- AutoBEM develops building energy models using OpenStudio and simulates Models using EnergyPlus
- Internal characteristics and other building properties (occupancy, equipment, insulation, etc.) determined non-intrusively by building type and year built




DOE Prototype Buildings




Clark County (Las Vegas) Modeling Example

Multi-scale Integration based on AutoBEM Software + Model America Data

1. Ground-Source Heat Pump – **Building Level** Application
2. Virtual EPB Utility – **City/Grid Level** Application
3. Environmental Analysis - **State/National Level** Application




DOE Prototype Buildings



Clark County (Las Vegas) Modeling Example

GSHP (Ground-Source Heat Pump) Integration


AutoBEM + Model America + GSHP (Ground-Source Heat Pump)



- Utilize the state-of-the-art building energy simulation programs: OpenStudio and EnergyPlus
- Integrated with the latest development in GHE modeling to increase flexibility, speed, and accuracy
- Automatically create building energy models, size HVAC equipment and GHE, and evaluate the economics of GSHP retrofit for almost any existing building in the US


Tool Interface Development

Development of a GSHP Techno-Economic Analysis Tool *Web Tool Interface and Capability*



Virtual EPB Integration

The Electric Power Board (EPB) of Chattanooga is a publicly owned utility that uniquely supplies both electricity and internet to southeastern Tennessee. In this project, ORNL will use EPB's 15-minute electricity consumption data along with GIS data to create a "digital twin", i.e., a calibrated building energy model, for each of the 178,000 buildings in EPB's service territory.







Diagram Credit: Fengqi Li

Future and Extreme Weather Data (fTMY)

Developing fTMY Weather Files

- 4 SSP, RCP Scenarios weather files
- 1980-2100
- Every CONUS county (3,281) and 18 cities
 - Representative cities of each climate zone (intl use)
- 6 Climate Models from various climate institutions around the globe
 - ACCESS-CM2
 - BCC-CSM2-MR
 - CNRM-ESM2-1
 - MPI-ESM1-2-HR
 - MRI-ESM2-0
 - NorESM2-MM
- 9 Weather Variables
 - Vapor Pressure Deficit
 - Relative Humidity
 - Precipitation
 - Wind
 - Pressure


fTMY weather files were developed (3281 US Counties)



International Code Council (2012)

Southwest Urban Corridor Integrated Field Laboratory (SW-IFL) Integration

- Generation of Publicly-available data and building energy models for more than 2.5 million buildings in Arizona (2,555,152 buildings).
- Environmental impacts through year 2100 under IPCC's SSP-5, RCP-8.5 for each building in Maricopa County (Phoenix, AZ).



What is next?

- Building becomes part of infrastructure system.
- DER needs in built environments.
- Shared resilient goals for both urban and grid planners.




Diagram Credit: Fengqi Li

A Computational Approach for Community Planning and Development




Diagram Credit: Fengqi Li

Fengqi (Frank) Li

lif2@ornl.gov

Questions

Thank You
Shovan Chowdhury
chowdhurys@ornl.gov